

CE 0499

Catalogue
Ancillaire A.
-
A. Ancillary
Catalogue



International Medical
Economic Development
Investments & Services



Immeuble le Neptune 1 • 35, Avenue Saint Germain des Noyers • FR - 77400 SAINT THIBAULT DES VIGNES
☎ : +33 (0)1 64 30 31 88 • 📠 : +33 (0)1 64 30 37 76 • ✉ : contact@imedis-sa.com • 🌐 : www.imedis-sa.com

ANGLED BLADE PLATE INSTRUMENTATION

Reference	Description
INST 3000 A	Aluminium case
INST 3001 A	SEATING CHISEL FOR ADULT PLATES
INST 3002 A	SEATING CHISEL FOR ADOLESCENTS AND CHILDREN PLATES
INST 3003 A	SEATING CHISEL FOR INFANT PLATES
INST 3004 A	INSERT-EXTRACTOR FOR ADOLESCENTS AND CHILDREN
INST 3005 A	INSERTER-EXTRACTOR FOR ADULTS
INST 3006 A	IMPACTOR FOR ANGULAR NAIL PLATES
INST 3007 A	SLOTTED HAMMER
INST 3008 A	CHISEL GUIDE
INST 3009 A	INSTRUMENTS FOR APPLICATION OF ANGLED BLADE PLATES TRIANGULAR POSITIONING PLATE 70/80/30 DEGREES
INST 3010 A	INSTRUMENTS FOR APPLICATION OF ANGLED BLADE PLATES TRIANGULAR POSITIONING PLATE 90/50/40 DEGREES
INST 3011 A	INSTRUMENTS FOR APPLICATION OF ANGLED BLADE PLATES TRIANGULAR POSITIONING PLATE 100/60/20 DEGREES
INST 3012 A	INSTRUMENTS FOR APPLICATION OF ANGLED BLADE PLATES TQUDRANGULAR POSITIONING PLATE 110/90/90/70 DEGREES
INST 3013 A	CONDYLAR PLATE GUIDE





DHS INSTRUMENTATION WITH IMPLANTS

Reference	Description
INST 3014 A	ALUMINIUM CASE
INST 3015 A	DRILL GUIDE ADJUSTABLE
INST 3016 A	MEASURING GAUGE FOR GUIDE WIRE
INST 3017 A	TRIPLE REAMER COMPLETE FOR DHS
INST 3018 A	TRIPLE REAMER COMPLETE FOR DCS
INST 3019 A	GUIDE SLEEVE SHORT FOR TAPPING
INST 3020 A	GUIDE SLEEVE LONG FOR SCREWING
INST 3021 A	COUPLING SCREW FOR HIP SCREW
INST 3022 A	GUIDE SHAFT
INST 3023 A	IMPACTOR BOLT
INST 3024 A	T-HANDLE WITH CHUCK
INST 3025 A	DHS PLATE - 4 HOLES
INST 3026 A	DHS PLATE - 5 HOLES
INST 3027 A	DHS PLATE - 6 HOLES
INST 3028 A	DHS PLATE - 8 HOLES
INST 3029 A	DHS PLATE - 10 HOLES
INST 3030 A	DHS PLATE - 11 HOLES
INST 3031 A	DHS LAG SCREW - 50 mm
INST 3032 A	DHS LAG SCREW - 55 mm
INST 3033 A	DHS LAG SCREW - 60 mm
INST 3034 A	DHS LAG SCREW - 65 mm
INST 3035 A	DHS LAG SCREW - 70 mm
INST 3036 A	DHS LAG SCREW - 75 mm
INST 3037 A	DHS LAG SCREW - 80 mm
INST 3038 A	DHS LAG SCREW - 85 mm
INST 3039 A	DHS LAG SCREW - 90 mm
INST 3040 A	DHS LAG SCREW - 95 mm
INST 3041 A	DHS LAG SCREW - 100 mm
INST 3042 A	DHS LAG SCREW - 105 mm
INST 3043 A	DHS LAG SCREW - 110 mm
INST 3044 A	DHS LAG SCREW - 115 mm
INST 3045 A	DCS PLATE 95 DEGREES 5 HOLES
INST 3046 A	DCS PLATE 95 DEGREES 7 HOLES
INST 3047 A	DCS PLATE 95 DEGREES 9 HOLES
INST 3048 A	DCS PLATE 95 DEGREES 10 HOLES





JEWETT PLATE INSTRUMENTATION

Reference	Description
INST 3049 A	IMPACTOR EXTRACTOR
INST 3050 A	IMPACTOR EXTRACTOR
INST 3051 A	NAIL STARTER
INST 3052 A	IMPACTOR - EXTRACTOR



SCREWS INSTRUMENTATION

Reference	Description
INST 3053 A	DRILL BIT 1.5mm x 50 mm
INST 3054 A	DRILL BIT 1.5mm x 115 mm
INST 3055 A	DEPTH MEASURING GAUGE
INST 3056 A	DRILL GUIDE
INST 3057 A	TROCAR
INST 3058 A	PLATE HOLDING FORCEPS ANGLED
INST 3059 A	PLATE HOLDING FORCEPS STRAIGHT
INST 3060 A	BENDING PLIERS
INST 3061 A	T-C PLATE CUTTING FORECEPS
INST 3062 A	DEPTH GAUGE FOR LARGE SCREWS
INST 3063 A	DEPTH GAUGE FOR SMALL SCREWS
INST 3064 A	COUNTERSINK FOR MINI SCREWS 1,5 AND 2,0 MM DIAMETER
INST 3065 A	COUNTERSINK FOR SMALL SCREWS 2,7 - 3,5 - 4,0 MM DIAMETER
INST 3066 A	COUNTERSINK FOR MALLEOLAR SCREWS
INST 3067 A	COUNTERSINK FOR LARGE SCREWS 4,5 mm AND 6,5 MM DIAMETER
INST 3068 A	DRILL GUIDE FOR 3,2 MM SCREWS
INST 3069 A	DRILL GUIDE FOR 6,5 MM SCREWS
INST 3070 A	DRILL GUIDE FOR 4,5 MM SCREWS
INST 3071 A	NEUTRAL AND LOAD DRILL GUIDE FOR 2,0 MM SCREWS
INST 3072 A	NEUTRAL AND LOAD DRILL GUIDE FOR 2,7 MM SCREWS
INST 3073 A	NEUTRAL AND LOAD DRILL GUIDE FOR 3,5 MM SCREWS
INST 3074 A	NEUTRAL AND LOAD DRILL GUIDE FOR 4,5 MM SCREWS
INST 3075 A	NEUTRAL AND LOAD DRILL GUIDE FOR 4,5 MM SCREWS WITH ANGLED PLATES
INST 3076 A	HEXAGONAL HEAD SCREWDRIVER 1,5 mm
INST 3077 A	HEXAGONAL HEAD SCREW DRIVER 3.5mm
INST 3078 A	HEXAGONAL HEAD SCREW DRIVER 2.5mm
INST 3079 A	SCREWDRIVER PHILLIPS HEAD
INST 3080 A	SCREWDRIVER SINGLE HEAD
INST 3081 A	SCREWDRIVER SLOTTED HEAD
INST 3082 A	PLATE BENDERES
INST 3083 A	BENDING IRONS FOR SMALL PLATES
INST 3084 A	BENDING IRON FOR STANDART PLARES
INST 3085 A	PLATE BENDING PRESS
INST 3086 A	COMPRESSION DEVICE



SCREWS SET WITH IMPLANTS

Reference	Description	QUANTITIES
SC 0414 A	Cortical screws - diameter 4.5 mm - length 14 mm	6
SC 0416 A	Cortical screws - diameter 4.5 mm - length 16 mm	6
SC 0418 A	Cortical screws - diameter 4.5 mm - length 18 mm	6
SC 0420 A	Cortical screws - diameter 4.5 mm - length 20 mm	6
SC 0422 A	Cortical screws - diameter 4.5 mm - length 22 mm	6
SC 0424 A	Cortical screws - diameter 4.5 mm - length 24 mm	6
SC 0426 A	Cortical screws - diameter 4.5 mm - length 26 mm	7
SC 0428 A	Cortical screws - diameter 4.5 mm - length 28 mm	7
SC 0430 A	Cortical screws - diameter 4.5 mm - length 30 mm	7
SC 0432 A	Cortical screws - diameter 4.5 mm - length 32 mm	7
SC 0434 A	Cortical screws - diameter 4.5 mm - length 34 mm	7
SC 0436 A	Cortical screws - diameter 4.5 mm - length 36 mm	7
SC 0438 A	Cortical screws - diameter 4.5 mm - length 38 mm	7
SC 0440 A	Cortical screws - diameter 4.5 mm - length 40 mm	7
SC 0442 A	Cortical screws - diameter 4.5 mm - length 42 mm	7
SC 0444 A	Cortical screws - diameter 4.5 mm - length 44 mm	7
SC 0446 A	Cortical screws - diameter 4.5 mm - length 46 mm	6
SC 0448 A	Cortical screws - diameter 4.5 mm - length 48 mm	6
SC 0450 A	Cortical screws - diameter 4.5 mm - length 50 mm	6
SC 5025 A	Malleolar screws 4.5 mm - length 25 mm	3
SC 5030 A	Malleolar screws 4.5 mm - length 30 mm	3
SC 5035 A	Malleolar screws 4.5 mm - length 35 mm	3
SC 5041 A	Malleolar screws 4.5 mm - length 40 mm	3
SC 5045 A	Malleolar screws 4.5 mm - length 45 mm	3
SC 5050 A	Malleolar screws 4.5 mm - length 50 mm	3
SC 5055 A	Malleolar screws 4.5 mm - length 55 mm	3
SC 5060 A	Malleolar screws 4.5 mm - length 60 mm	3
SC 5065 A	Malleolar screws 4.5 mm - length 65 mm	3
SC 5070 A	Malleolar screws 4.5 mm - length 70 mm	3
SC 2025 A	Cancellous screws 6.5 mm - 16 mm threaded - length 25 mm	2
SC 2030 A	Cancellous screws 6.5 mm - 16 mm threaded - length 30 mm	2
SC 2035 A	Cancellous screws 6.5 mm - 16 mm threaded - length 35 mm	2
SC 2041 A	Cancellous screws 6.5 mm - 16 mm threaded - length 40 mm	2
SC 2045 A	Cancellous screws 6.5 mm - 16 mm threaded - length 45 mm	2
SC 2050 A	Cancellous screws 6.5 mm - 16 mm threaded - length 50 mm	2
SC 2055 A	Cancellous screws 6.5 mm - 16 mm threaded - length 55 mm	2
SC 2060 A	Cancellous screws 6.5 mm - 16 mm threaded - length 60 mm	2
SC 2065 A	Cancellous screws 6.5 mm - 16 mm threaded - length 65 mm	2
SC 2070 A	Cancellous screws 6.5 mm - 16 mm threaded - length 70 mm	2
SC 2075 A	Cancellous screws 6.5 mm - 16 mm threaded - length 75 mm	2
SC 2080 A	Cancellous screws 6.5 mm - 16 mm threaded - length 80 mm	2
SC 2085 A	Cancellous screws 6.5 mm - 16 mm threaded - length 85 mm	2

SC 2090 A	Cancellous screws 6.5 mm - 16 mm threaded - length 90 mm	2
SC 2095 A	Cancellous screws 6.5 mm - 16 mm threaded - length 95 mm	2
SC 2100 A	Cancellous screws 6.5 mm - 16 mm threaded - length 100 mm	2
SC 2105 A	Cancellous screws 6.5 mm - 16 mm threaded - length 105 mm	2
SC 2110 A	Cancellous screws 6.5 mm - 16 mm threaded - length 110 mm	2
SC 3045 A	Cancellous screws 6.5 mm - 32 mm threaded - length 45 mm	3
SC 3050 A	Cancellous screws 6.5 mm - 32 mm threaded - length 50 mm	3
SC 3055 A	Cancellous screws 6.5 mm - 32 mm threaded - length 55 mm	3
SC 3060 A	Cancellous screws 6.5 mm - 32 mm threaded - length 60 mm	3
SC 3065 A	Cancellous screws 6.5 mm - 32 mm threaded - length 65 mm	3
SC 3070 A	Cancellous screws 6.5 mm - 32 mm threaded - length 70 mm	3
SC 3075 A	Cancellous screws 6.5 mm - 32 mm threaded - length 75 mm	3
SC 3080 A	Cancellous screws 6.5 mm - 32 mm threaded - length 80 mm	3
SC 3085 A	Cancellous screws 6.5 mm - 32 mm threaded - length 85 mm	3
SC 3090 A	Cancellous screws 6.5 mm - 32 mm threaded - length 90 mm	3
SC 3095 A	Cancellous screws 6.5 mm - 32 mm threaded - length 95 mm	3
SC 3100 A	Cancellous screws 6.5 mm - 32 mm threaded - length 100 mm	3
SC 3105 A	Cancellous screws 6.5 mm - 32 mm threaded - length 105 mm	3
SC 3110 A	Cancellous screws 6.5 mm - 32 mm threaded - length 110 mm	3
SC 4025 A	Cancellous screw 6.5 mm - fully threaded - length 25 mm	4
SC 4030 A	Cancellous screw 6.5 mm - fully threaded - length 30 mm	4
SC 4035 A	Cancellous screw 6.5 mm - fully threaded - length 35 mm	4
SC 4041 A	Cancellous screw 6.5 mm - fully threaded - length 40 mm	4
SC 4045 A	Cancellous screw 6.5 mm - fully threaded - length 45 mm	4
SC 4050 A	Cancellous screw 6.5 mm - fully threaded - length 50 mm	4
SC 4055 A	Cancellous screw 6.5 mm - fully threaded - length 55 mm	4
SC 4060 A	Cancellous screw 6.5 mm - fully threaded - length 60 mm	4
SC 4065 A	Cancellous screw 6.5 mm - fully threaded - length 65 mm	4
SC 4070 A	Cancellous screw 6.5 mm - fully threaded - length 70 mm	4
SC 4075 A	Cancellous screw 6.5 mm - fully threaded - length 75 mm	4
SC 4080 A	Cancellous screw 6.5 mm - fully threaded - length 80 mm	4
SC 4085 A	Cancellous screw 6.5 mm - fully threaded - length 85 mm	4
SC 4090 A	Cancellous screw 6.5 mm - fully threaded - length 90 mm	4
SC 4095 A	Cancellous screw 6.5 mm - fully threaded - length 95 mm	4
SC 4100 A	Cancellous screw 6.5 mm - fully threaded - length 100 mm	4
SC 4105 A	Cancellous screw 6.5 mm - fully threaded - length 105 mm	4
SC 4110 A	Cancellous screw 6.5 mm - fully threaded - length 110 mm	4
INST 3166 A	Aluminium case	1

STAPLES INSTRUMENTATION

Reference	Description
INST 3167 A	STAPLER
INST 3168 A	STAPLE DRIVER
INST 3169 A	STAPLE EXTRACTOR
INST 3170 A	STAPLE IMPACTOR

